



# 2022



## LIGHTWEIGHT WALL COVERINGS, FACADES, OUTDOOR FURNITURE, MATTERS AND DECORATION

More welcoming environments  
for new sensations

# NATURA LINE

## COVERING FOR WALLS AND FACADES

Facades / Ceilings / Walls / Chimneys

### WHAT IS IT?

## SYNTHETIC PANELS WITH NATURAL TEXTURES

Our first production line is lightweight panels to cover walls and facades. They are made of reinforced polyester, a material used in the nautical industry and known for its high resistance.

We also use stone and crushed mineral fillers to provide a finish that closely reproduces natural textures such as brick, stone, concrete.

Thanks to the materials used in their manufacturing, these panels are resistant to water, humidity, salinity, UV rays, high and low temperatures and fire. They are also thermal and acoustic insulators. Thanks to their low weight, they are very easy to install and transport.



Side view

# FEATURES & BENEFITS

## TECHNICAL ASPECTS

- For outdoors and indoors
  - Imperceptible joints between panels
  - Washable and minimal maintenance
  - Light
  - Very resistant
  - Attractions
  - Durable
  - Economical
  - Easy to install
  - Installable on any surface
  - They are not affected by erosion or ultraviolet rays
  - They are not affected by humidity or salinity
  - Waterproof, they provide thermal and acoustic insulation
- Solid and resistant:**
- They do not need any type of sealant.
  - Dimensional stability, they do not contract or expand
  - Inert, prevents the appearance of fungi on the surface
  - Flame retardant
- Easily repairable with special putty
  - Reusable, they can be removed and relocate
  - They do not need any type of sealant
  - Dimensional stability
  - They do not contract or expand
  - Inert: they prevent the appearance of fungi on its surface
  - Impact resistant



## ENVIRONMENTAL ASPECTS

- Our manufacturing processes do not use water and use a low amount of energy.
- In the manufacturing process of the resin used in our panels, around 20% recycled PET bottles are used.
- Like resin, recycled glass is used in the manufacturing process of fiberglass reinforcement.
- The mineral fillers and crushed stone used are obtained from quarry waste.
- Its low weight, around 30 times less than a real material such as stone or brick, reduces CO2 emissions in transportation and also by reducing the dead weight of the structure, the amount of materials in the structure is reduced.

## WHERE TO USE THEM?

- Facades
- Interior Walls
- Humid areas
- Ceilings
- Vaults
- External coatings chimneys
- Efierra Architecture Structures

## WHERE TO USE THEM?


- Does not require special structures
- They can be fixed on concrete, block, metal structure, wood, dry wall, superboard, etc.
- The surface on which they are fixed should not have any special preparation.
- They absorb and mimic surface defects.
- Does not require special structures

## INSTALLATION PROCESS



Click here

3,5 a5 kg/m<sup>2</sup>



■ Dimensions may vary depending on reference




# NATURA LINES

## STONES




**SPACCATO OCRE**  
245 cm x 125 cm / Thickness 4 cm / Weight 4Kg m2



**BLACK SPACCATO**  
245 cm x 125 cm / Thickness 4 cm / Weight 4Kg m2



**GRAY SPACCATO**  
245 cm x 125 cm / Thickness 4 cm / Weight 4Kg m2



**BLACK BOARD**  
244 cm x 122 cm / Thickness 4 cm / Weight 3Kg m2



**OCHER SLATE**  
245 cm x 125 cm / Thickness 4 cm / Weight 4Kg m2



**SPACCATO OCRE**

**SEE PRODUCTS  
CLICK** 

# STONES



**BLACK COBBLE**

245 cm x 125 cm / Thickness 3 cm / Weight 3Kg m2



**WHITE PAVER**

245 cm x 125 cm / Thickness 3 cm / Weight 3Kg m2



**RUSTIC OCHER PAVER**

245 cm x 125 cm / Thickness 3 cm / Weight 3Kg m2



**Paver in custom colors**

Available upon request



**UCHER LIMESTONE**

240 cm x 120 cm / Thickness 3 cm / Weight 3Kg m2




**GRAY LIMESTONE**

240 cm x 120 cm/Thickness 3 cm/Weight 3Kg m2



**BROWN LIMESTONE**

240 cm x 120 cm / Thickness 3 cm / Weight 3Kg m2



**BLACK LIMESTONE**

240 cm x 120 cm / Thickness 3 cm / Weight 3Kg m2

**SEE PRODUCTS  
CLICK**





# STONES



**OCHER CARVED STONE**

245 cm x 125 cm / Thickness 3 cm / Weight 3Kg m2



**ANTIQUÉ OCHER STONE**

245 cm x 125 cm / Thickness 3 cm / Weight 3Kg m2



**GRAY CARVED STONE**

245 cm x 125 cm / Thickness 3 cm / Weight 3Kg m2



**RUSTIC LIMESTONE**

245 cm x 125 cm / Thickness 3 cm / Weight 3Kg m2

**SEE PRODUCTS  
CLICK**




# BRICKS



**LARGE FORMAT TERRACOTTA BRICK**  
280 cm x 128 cm / Thickness 3 cm / Weight 3Kg m<sup>2</sup>



**BURNT RUSTIC BRICK**  
280 cm x 128 cm / Thickness 3 cm / Weight 3Kg m<sup>2</sup>



**RUSTIC BRICK**  
280 cm x 128 cm / Thickness 3 cm / Weight 3Kg m<sup>2</sup>



**WHITE RUSTIC BRICK**  
280 cm x 128 cm / Thickness 3 cm / Weight 3Kg m<sup>2</sup>





Custom colors  
Available upon request

**SEE PRODUCTS  
CLICK**







1. Burnt rustic brick, Indra Offices
2. Burnt Large Format Brick
3. White rustic brick, El Corral Facade
4. Rustic burnt brick, Itanos



# CONCRETES



## OCHER FORMWORK

100 cm x 80 cm / Thickness 0.5 cm / Weight 3Kg m2




## GRAY FORMWORK

285 cm x 100 cm / Thickness 0.5 cm / Weight 3Kg m2




## GRAY WOOD FORMWORK

285 cm x 100 cm / Thickness 0.5 cm / Weight 3Kg m2



## OCHER WOOD FORMWORK

285 cm x 100 cm / Thickness 0.5 cm / Weight 3Kg m2



## CONCRETE WOOD STRIP

300 cm x 100 cm / Thickness 0.5 cm / Weight 3Kg m2V

SEE PRODUCTS  
CLICK



# DEVELOPMENTS SPECIALS

Over time we have adapted to the special requirements of our corporate clients, designing and manufacturing textured panels special based on your needs, we can manufacture any type of texture as required.

## The advantages of developing special panels with us are:

- Extensive experience in this topic.
  - Material standardization. All branches will have the same finish
  - Production and installation speed
  - Possibility of making exclusive designs
  - Lower price in many cases than others
  - materials such as concrete and metal
  - Low maintenance.
- Possibility of installing it on wood or drywall without affecting the structure of the premises.

- |   |   |  |
|---|---|--|
| <p><b>1</b> We start with an idea or reference<br/>Drawing, photograph, idea or reference provided by the client.</p> | <p><b>2</b> Development and approval<br/>Prototype development and client's approval.</p> | <p><b>3</b> Manufacturing and installation<br/>Production of material and installation</p> |
|---|---|--|

We can manufacture panels starting of your needs and tastes.



  
**DAVIVIENDA**  
 Gray ochre rustic concrete -  
 Premium premises Davivienda Client



  
  
 Stacked White Brick - Papa John's Customer



# FUTURA LINE

WHAT IS IT?

## SYNTHETIC PANELS WITH ABSTRACT TEXTURES

PRODUCT FOR INDOOR AND OUTDOOR

The future line was the second line developed by Contextura Design. Based on the success obtained with the natura line, we offer our clients unique and striking designs that cannot be reproduced in any other material to generate a continuous surface once installed. They are used for interior and exterior applications in any type of environment.


### FEATURES AND BENEFITS

- For indoors and outdoors.
- Panels from 1x1m to 3x120m (they vary depending on the reference).
- From 2.5 to 5 kg per m<sup>2</sup> which, in addition to representing a saving in the dead weight of the structure that translates into reduced transportation costs and installation times, thus increasing practicality and efficiency.
- From 3 to 5 mm material thickness.
- Textures with depths from 1 to 4.5 cm.
- Imperceptible joints between panels.


The joints, corners and finishes are imperceptible, since they are created and sealed with self-made putty that, due to its characteristics, perfectly unifies the panels, creating a continuous surface.



# FUTURE




**CO 02**  
103 x 278 / Thickness from 0.5 cm to 2.5 cm / Weight 3.5 Kg m2



**CO 03**  
180 cm x 180 cm / Thickness from 0.5 cm to 2.5 cm / Weight 3.5 Kg m2



**F01**  
120 cm x 300 cm / Thickness from 0.5 cm to 2.5 cm / Weight 3.5 Kg m



**F02**  
110 cm x 299 cm / Thickness from 0.5 cm to 2.5 cm / Weight 3.5 Kg m2



Amplia Gama de colores disponibles






# EASY TILE

## WHAT IS IT?

### SMALL FORMAT MAKING THEM PRACTICAL AND VERSATILE.

PRODUCT FOR INDOOR AND OUTDOOR


Sheets in small format (50 x 50 cm - 50 x 100 cm), made of composite material for indoors and outdoors.




## ADVANTAGES

- Weight: 1.5 to 2 kg m<sup>2</sup>
- Easy to cut and adhere to the surface using polyurethane glues (for interiors and exteriors).
- They can be fixed on tile, superboard, wood, drywall, brick (they do not have to be removed). They can be used in wet areas: bathrooms, saunas, jacuzzis and facades
- They are handled in 1.5mm caliber or 3mm semi-rigid to install on profiles. They do not suffer damage during transport They do not require any type of sealant They are pigmented
- Its installation is much faster compared to a tile or natural stone

# EASY TILE



Translucent




Translucent

**Cut Marble**

99 cm x 50 cm / Thickness 0.3 cm / Weight 2Kg m2

**Handmade fabric**

99 cm x 50 cm / Thickness 0.3 cm / Weight 2Kg m2



**Black Cut Marble**

99 cm x 50 cm / Thickness 0.3 cm / Weight 2Kg m2




# EASY TILE




**White stacked brick**

84 cm x 49 cm / Thickness 0.3 cm / Weight 2kg m2



**Ladrillo gran formato**


99 cm x 37 cm / Espesor 0,3 cm / Peso 2Kg m2



**Translucent**

**Ocher Quartzite**


59 cm x 39 cm / Thickness 0.3 cm / Weight 2kg m2



**Translucent**


**Gray quartzite**

59 cm x 39 cm / Thickness 0.3 cm / Weight 2kg m2



**Indian stone**

99 cm x 50 cm / Thickness 0.3 cm / Weight 2kg m2



**Concrete pyramids**

50 cm x 50 cm / Thickness 0.3 cm / Weight 2kg m2

# EASY TILE

Small-format pieces, manufactured with a surface layer of polymer concrete and injection of polyurethane foam.



## ADVANTAGES


- Weight: 400 gr per piece
- Easy to cut and install
- Allows more pronounced reliefs than Easytile
- Adhere with polyurethane glue

## QUICK AND EASY INSTALLATION




3

# EASY TILE




**Gray marble cubes**  
30 cm x 30 cm / Thickness 3 cm / Weight 3kg m2



**Black marble cubes**  
30 cm x 30 cm / Thickness 3 cm / Weight 3kg m2



**Ocher marble cubes**  
30 cm x 30 cm / Thickness 3 cm / Weight 3kg m2



**Terracotta Tolete Brick**  
56 cm x 40cm / Thickness 2.5 cm / Weight 3kg m2



**White Tolete Brick**  
56 cm x 40 cm / Thickness 2.5 cm / Weight 3kg m2





# CUSTOM PANELS LARGE FORMAT

These are lightweight panels made of the same materials used in the nautical industry, they have properties such as low weight and resistance to weathering and in terms of their design we can adapt to the requirements of each project, from flat panels to reliefs. more complex.

We can achieve smooth textures, such as concrete, wood, and many more.

Los aspectos que se pueden personalizar son:

- Size
- Shape
- Color
- Relief or pattern
- Texture



## CROWN CASINO PROJECT

Year 2012

800 m2: The architects of this project designed a panel with a continuous, very pronounced geometric pattern, 15 cm thick in matte white.

These had to be installed on a superboard surface and special pieces and corner pieces had to be manufactured.

**300cm by 100cm x 15cm panel weight 15kg per panel.**

Among the options proposed were: prefabricated concrete panel or metal panel, the surface where the panels would be installed was superboard so the weight was very important.

They chose to use our material because of the following advantages over the other two proposed materials:



### ADVANTAGES OVER CONCRETE:

- Weight
- Ease of installation, and ease of transportation.
- Production speed
- Easier maintenance
- The material is less porous and absorbs less pollution than concrete.
- Cheaper price
- More detailed finishes

### ADVANTAGES OVER METAL PANEL:

- They do not corrode
- Manufacturing speed
- They are not painted, they are pigmented
- More economical
- They do not get hot
- They are thermal and acoustic insulators.

**They do not have defects in concrete pieces generally caused by their removal from the mold and transportation.**

# MULTIFUNCTIONAL SHEETS

Sheets in caliber 1.5-2 and 4 mm to be used in: wall and facade coverings, furniture, ceilings.



- They can be stamped on different types of surfaces
- We have formats from 0.60 x 1.20m to 2 x 1m

- Smooth texture (all colors)
  - Concrete
  - Wood
  - Stone
- For industrial use



Quartzite Stone



Stone, board



Bushed Concrete



Wood White Gray



Smooth Satin gray




Smooth Satin red

Size: 1x1 2x1 3x1 m measurements vary according to reference  
Thickness: 1.5/3/4 mm may vary according to reference  
Weight: 2 kg per m<sup>2</sup>/3kg per m<sup>2</sup>/4 kg m<sup>2</sup>



# MATERAS STANDARD



Spacatto  
different  
colors



Ladrillo  
Rústico



Concerto  
girs



[see products](#)



## Green walls








**Puff nest**  
Length: 40 cm  
Broad: 40 cm  
Weight: 3 kg  
**Stackable**



**Nest bench**  
Length: 80 cm  
Broad: 40 cm  
High: 3 kg  
Weight: 3 kg  
**Stackable**



**SEE PRODUCTS  
CLICK**






# TRANSLUCENT AND DECORATION

Our line of translucent and decorative objects consists of unique products on the market, achieving incredible effects such as concrete and translucent stones and 3D paintings.

**Uses: signage decoration and advertising**



#### Goal Digger box

Length: 99 cm

Height: 50 cm

Weight: 4 kg

**Translucent**

Backlit includes light source and connections



#### Work Harder

Length: 99 cm

Height: 43 cm

Weight: 4 kg

**Translucent**

Backlit includes light source and connections



#### Dine & Wine

Length: 99 cm

Height: 43 cm

Weight: 4 kg

**Translucent**

Backlit includes light source and connections



#### \$Sign pesos

Length: 51 cm

Height: 51 cm

Weight: 4 kg

**Translucent**

Backlit includes light source and connections



**Custom translucent and backlit signage.**

**SEE PRODUCTS  
CLICK**



# PAINTINGS



**Waves**  
Length: 119 cm  
Height: 60 cm  
Thickness: 4 cm



**Sand**  
Length: 100 cm  
Height: 50 cm  
Thickness: 4 cm







# CUADROS

**Nest**

Length: 100 cm

Height: 50 cm

Thickness: 4 cm

Available colors: Black, white, yellow, blue and red

SEE PRODUCTS  
HAZLOCLICK








[WWW.EXPLAM.COM](http://WWW.EXPLAM.COM)



 954-849-9977